Art Unit: ***

CLMPTO 06/30/03 dw

Claims 1-4 (Original)

- A soya extract having a content of glucoside isoflavones of at least 13% by weight and a content of 0.6 to
 parts by weight of group 3 soya saponins per 1 part by weight of glucoside isoflavones.
- 2. The soya extract of Claim 1, wherein the content of group B soya saponins is 1 part by weight per 1 part by weight of glucoside isoflavones.
- 3. A pharmaceutical composition containing, as an active component, the soya extract of claim 1 and a pharmaceutically acceptable carrier or diluent.
- 4. A pharmaceutical composition containing, as an active component, the soya extract of claim 2 and a pharmaceutically acceptable carrier or diluent.

Claims 5-8 (Amended)

5. (Amended): A method of treating pre- or post-menopausal symptoms in a female subject which comprises comprising administering to a female subject in need of such treatment a therapeutically effective amount of the a soya extract of claim-1 comprising:

(a) glucoside isoflavones in an amount of at least 13 % by weight; and

(b) 0.6 to 1.5 parts by weight of group B soya saponins per 1 part by weight of the glucoside isoflavones.

6. (Amended): A method of treating pre or post-menopausal symptoms in a female subject which comprises administering to a female subject in need of such treatment a therapeutically effective amount of the soya extract of claim-2 The method of claim 5, wherein the soya extract comprises 1 part by weight of group B soya saponins per 1 part by weight of the glucoside isoflavones.

Application/Control Number: 10/608,213

Art Unit: ***

Page 4

- 7. (Amended): A method of treating cancer in a subject which emprises comprising administering to a subject in need of such treatment a therapeutically effective amount of the a soya extract of claim 1 comprising:
 - (a) glucoside isoflavones in an amount of at least 13 % by weight; and
- (b) 0.6 to 1.5 parts by weight of group B soya saponins per 1 part by weight of the glucoside isoflavones.
- 8. (Amended): A method of treating cancer in a subject which comprises administering to a subject in need of such treatment a therapeutically effective amount of the soya extract of claim 2. The method of claim 7, wherein the soya extract

comprises 1 part by weight of group B soya saponins per 1 part by weight of the glucoside isoflavones.

Claims 9-12 (Original)

9. (Original):

The method of claim 7 wherein the subject is a female

and the cancer is breast cancer.

10. (Original):

The method of claim 8 wherein the subject is a female

and the cancer is breast cancer.

11. (Original):

The method of claim 7 wherein the subject is a male

and the cancer is prostate cancer.

12. (Original):

The method of claim 8 wherein the subject is a male

and the cancer is prostate cancer.

Application/Control Number: 10/608,213

Art Unit: ***

Page 6

Claims 13-14 (Amended)

- 13. (Amended): A method of treating alcoholism in a subject which comprises comprising administering to a subject in need of such treatment a therapeutically effective amount of the <u>a</u> soya extract of claim 1 comprising:
 - (a) glucoside isoflavones of at least 13 % by weight; and
- (b) 0.6 to 1.5 parts by weight of group B soya saponins per 1 part by weight of the glucoside isoflavones.
- 14. (Amended): A method of treating alcoholism in a subject which comprises administering to a subject in need of such treatment a therapeutically effective amount of the soya extract of claim 2 The method of claim 13, wherein the soya extract comprises 1 part by weight of group B soya saponins per 1 part by weight of the glucoside

isoflavones.

Application/Control Number: 10/608,213

Art Unit: ***

Claims 15-18 (Original)

15. A process for producing a soya extract having a content of glucoside isoflavones of at least 13% by weight and a content of 0.6 to 1.5 parts by weight of group 3 soya saponins per 1 part by weight of glucoside isoflavones, which comprises the following steps:

treating ripe whole soya beans or oil-free soya

flour with an aliphatic alcohol to obtain a first extract;

concentrating the first extract to form a

concentrated first extract;

purifying the concentrated first extract by treatment with at least one aliphatic hydrocarbon; and extracting active components from the purified concentrated first extract with a water-immiscible aliphatic alcohol to obtain a second extract.

- 16. The process of claim 15 which further comprises concentrating the second extract followed by drying to form the desired soya extract.
- 17. The process of claim 15 which further comprises adsorbing the second extract from the concentrated first extract to a polystyrene-based adsorption resin, flushing the resin with water, and eluting the second extract with ethanol.

Art Unit: ***

18. The process of claim 15 which further comprises; suspending the first extract in a mixture of a water-miscible alcohol and water and diluting it with a water-immiscible aphotic solvent;

heating the resulting mixture to complete dissolution and then holding it at room temperature to allow precipitation of group B soya saponins in a solution that contains an organic phase and an aqueous phase;

collecting the precipitated group B soya saponins by filtration of the solution;

separating the organic phase from the water phase, and then concentrating the organic phase and drying it to produce isoflavone components; and

mixing the collected group B soya saponins with the isoflavone components to form the desired soya extract.

19. The process of claim 1, wherein the content of group B soya saponins in the extract is adjusted to be 1 part by weight per 1 part by weight of glucoside isoflavones.